



Health History

Name: _____ Date: _____

Date of Birth: _____ Age: _____ Gender: ☐ Male ☐ Female

Mailing Address: _____ City: _____

State: _____ Zip: _____ Home Phone: _____ Cell Phone: _____

Email: _____

Occupation: _____ Do you primarily: ☐ Sit ☐ Stand ☐ Perform repetitive tasks

Height (ft): _____ Weight (lbs): _____

Marital Status: ☐ Single ☐ Partnered ☐ Married ☐ Separated ☐ Divorced ☐ Widowed

How many children: _____ Ages: _____

How did you hear about Plaisance Chiropractic? _____

How do you prefer to be contacted? ☐ Home Phone ☐ Cell Phone ☐ Text ☐ Email

QUESTIONNAIRE:

What are your three most important current health concerns?

1. _____

2. _____

3. _____

List any medical problems currently being managed by a physician: _____

List any hospital stays and/or surgeries with dates: _____

Have you been diagnosed with any clinical condition or disease? ☐ No ☐ Yes

If yes, what: _____

Have you ever been in a motor vehicle accident? ☐ No ☐ Yes

If yes, what kind and when: _____

Were you evaluated and treated after each accident? ☐ No ☐ Yes

Have you had any non-vehicle accidents or falls? ☐ No ☐ Yes

If yes, please explain: _____

Have you had any imaging performed in the last year? ☐ No ☐ X-ray ☐ MRI ☐ US ☐ PET

Have you had blood work performed in the last year? ☐ No ☐ Yes

Were your test results in medically normal ranges? ☐ No ☐ Yes

If not, which results were abnormal? _____

GENERAL LIFESTYLE:

What is your activity level on a scale from 1-10? (10 being very active) _____

What is your average energy level on a scale of 1-10 (10 being the optimal energy level you think you *should* have)? _____

On average, how many hours do you sleep per night? _____

Do you feel you get adequate sleep? ☐ Yes ☐ No _____

Do you wake rested? ☐ Yes ☐ No _____

Do you wake during the night? At what time? ☐ Yes ☐ No _____

Do you sleep next to any electronic devices? ☐ Yes ☐ No _____

Do you exercise? ☐ Yes ☐ No _____

Do you follow any particular diet? ☐ Yes ☐ No _____

Do you consume caffeine daily? ☐ Yes ☐ No _____

Do you use tobacco? ☐ Yes ☐ No _____

Do you consume alcohol? ☐ Yes ☐ No _____

Do you feel you've ever had a problem with overuse of drugs or alcohol? ☐ Yes ☐ No _____

MENTAL/EMOTIONAL HEALTH

Do you have a good support system? ☐ Yes ☐ No _____

Do you have a spiritual practice? ☐ Yes ☐ No _____

What are the main stresses in your life? _____

Have you experienced any particularly life-changing stressful events? _____

What do you do to de-stress? _____

What are some of your hobbies? _____

Rate the current level of **personal stress** in your life: ☐ None ☐ Low ☐ Moderate ☐ High

Rate the current level of **relationship stress** in your life: ☐ None ☐ Low ☐ Moderate ☐ High

Rate the current level of **health stress** in your life: ☐ None ☐ Low ☐ Moderate ☐ High

Rate the current level of **family stress** in your life: ☐ None ☐ Low ☐ Moderate ☐ High

Rate the current level of **occupational stress** in your life: ☐ None ☐ Low ☐ Moderate ☐ High

How do you manage the stress in your life? _____

CHEMICAL HEALTH

Do you choose to get annual flu shots? ☐ No ☐ Yes

Have you used antibiotics in the last year? ☐ No ☐ Yes

How many cups of water do you drink per day? ☐ 0 ☐ 1-3 ☐ 4-6 ☐ 7-9 ☐ 10+

How many cups of coffee/energy drinks do you drink per day? ☐ 0 ☐ 1-3 ☐ 4-6 ☐ 7-9 ☐ 10+

How many glasses of juice/soda/sports drinks do you drink per day? ☐ 0 ☐ 1-3 ☐ 4-6 ☐ 7-9 ☐ 10+

Do you eat wheat products (bread/pasta/crackers/baked goods)? ☐ No ☐ Yes

If yes, how many servings per day? _____

Do you eat refined sugar? ☐ No ☐ Yes

If yes, how many servings per day? _____

Do you ingest artificial sweeteners (Splenda, Aspartame, Equal, diet drinks, gum)? ☐ No ☐ Yes

Do you have any food/drink allergies, sensitivities or intolerances? ☐ No ☐ Yes: _____

Do you smoke? ☐ No ☐ Yes ☐ I used it for: _____ years

Are you/have you been exposed to second-hand smoke? ☐ No ☐ Yes

Do you take probiotics? ☐ No ☐ Yes

Do you take Vitamin D? ☐ No ☐ Yes

Do you take Omega-3? ☐ No ☐ Yes

Other supplements or homeopathics: _____

Please list any medications (prescription &/or over the counter) that you take regularly and why: _____

FOOD HEALTH

Please list the foods you commonly eat for:

Breakfast: _____

Lunch: _____

Dinner: _____

Snacks: _____

How many cups of vegetables do you eat per day? ☐ 0 ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ 5 ☐ 6 ☐ 7+

What foods do you crave? _____

SYMPTOMS: Please check the boxes of symptoms that you are currently experiencing, or have experienced in the past 6 months:

Women:

☐ Breast masses ☐ Lack of periods (premenopause) ☐ Menopause (age) _____

☐ Hysterectomy ☐ Painful/Heavy periods ☐ Vaginal discharge

☐ Irregular periods ☐ Spotting ☐ Yeast infections

☐ Pregnancies # _____ ☐ Miscarriage #/date _____ ☐ C-section # _____

Are you/Do you plan to become pregnant? ☐ Yes ☐ No _____

Are you breastfeeding? ☐ Yes ☐ No _____

Are you taking birth control? What kind? ☐ Yes ☐ No _____

Are you on hormone replacement therapy? ☐ Yes ☐ No _____

Other:

☐ Autoimmune disease ☐ Hernia ☐ Relationship problems

☐ Bleeding gums ☐ History of abuse ☐ Restless legs

☐ Employment difficulties ☐ History of antibiotic use ☐ Schizophrenia

☐ Erectile dysfunction ☐ History of vaccine reactions ☐ Serious head injury

Bowel Movements/day _____

Notes:

BLOOD WORK:

If you have recent blood work (within the last 6 months), please include a copy with this form. It is not required, but can be extremely helpful in understanding your full health picture.

CONSENT TO TREAT:

I _____, hereby grant permission to receive a professional and complete physical examination and consultation, including urinalysis and evaluation.

FINANCIAL AGREEMENT:

I, _____, agree to full financial responsibility for services rendered and products purchased. I understand that payment is required in full prior to service or purchase unless arrangements were agreed to in advance. Cash, check and Charge are the only accepted forms of payment at this time. Notice of 24 hours is necessary for cancelled appointments. I may be charged full price for a missed appointment. We reserve the right to require prepayment to reschedule your next appointment. This advance payment will be applied to your next appointment.

Signature (patient/parent/guardian):

_____ Date: _____

SYSTEMS SURVEY FORM
(Restricted to Professional Use)

PATIENT _____ AGE _____ DOCTOR _____ DATE _____

INSTRUCTIONS: Circle the number that applies to you. **If a symptom does not apply, leave it blank.**
Circle either: **(1)** for **MILD** symptoms (occurs rarely), **(2)** for **MODERATE** symptoms (occurs several times a month),
or **(3)** for **SEVERE** symptoms (occurs almost constantly).

GROUP ONE

- | | | |
|-----------------------------------|--|-----------------------------------|
| 1 – 1 2 3 Acid foods upset | 8 – 1 2 3 Gag Easily | 15 – 1 2 3 Appetite reduced |
| 2 – 1 2 3 Get chilled, often | 9 – 1 2 3 Unable to relax, startles easily | 16 – 1 2 3 Cold sweats often |
| 3 – 1 2 3 “Lump” in throat | 10 – 1 2 3 Extremities cold, clammy | 17 – 1 2 3 Fever easily raised |
| 4 – 1 2 3 Dry mouth-eyes-nose | 11 – 1 2 3 Strong light irritates | 18 – 1 2 3 Neuralgia-like pains |
| 5 – 1 2 3 Pulse speeds after meal | 12 – 1 2 3 Urine amount reduced | 19 – 1 2 3 Staring, blinks little |
| 6 – 1 2 3 Keyed up - fail to calm | 13 – 1 2 3 Heart pounds after retiring | 20 – 1 2 3 Sour stomach frequent |
| 7 – 1 2 3 Cuts heal slowly | 14 – 1 2 3 “Nervous” stomach | |

GROUP TWO

- | | | |
|---|--|---------------------------------------|
| 21 – 1 2 3 Joint stiffness after arising | 29 – 1 2 3 Digestion rapid | 37 – 1 2 3 “Slow starter” |
| 22 – 1 2 3 Muscle-leg-toe cramps at night | 30 – 1 2 3 Vomiting frequent | 38 – 1 2 3 Get “chilled” infrequently |
| 23 – 1 2 3 “Butterfly” stomach, cramps | 31 – 1 2 3 Hoarseness frequent | 39 – 1 2 3 Perspire easily |
| 24 – 1 2 3 Eyes or nose watery | 32 – 1 2 3 Breathing irregular | 40 – 1 2 3 Circulation poor, |
| 25 – 1 2 3 Eyes blink often | 33 – 1 2 3 Pulse slow; feels “irregular” | sensitive to cold |
| 26 – 1 2 3 Eyelids swollen, puffy | 34 – 1 2 3 Gagging reflex slow | 41 – 1 2 3 Subject to colds, |
| 27 – 1 2 3 Indigestion soon after meals | 35 – 1 2 3 Difficulty swallowing | asthma, bronchitis |
| 28 – 1 2 3 Always seem hungry;
feels “lightheaded” often | 36 – 1 2 3 Constipation,
diarrhea alternating | |

GROUP THREE

- | | | |
|---|--|---|
| 42 – 1 2 3 Eat when nervous | 49 – 1 2 3 Heart palpitates if meals
missed or delayed | 53 – 1 2 3 Crave candy or coffee
in afternoons |
| 43 – 1 2 3 Excessive appetite | 50 – 1 2 3 Afternoon headaches | 54 – 1 2 3 Moods of depression -
“blues” or melancholy |
| 44 – 1 2 3 Hungry between meals | 51 – 1 2 3 Overeating sweets upsets | 55 – 1 2 3 Abnormal craving for
sweets or snacks |
| 45 – 1 2 3 Irritable before meals | 52 – 1 2 3 Awaken after few hours sleep
- hard to get back to sleep | |
| 46 – 1 2 3 Get “shaky” if hungry | | |
| 47 – 1 2 3 Fatigue, eating relieves | | |
| 48 – 1 2 3 “Lightheaded” if meals delayed | | |

GROUP FOUR

- | | | |
|---|---|--|
| 56 – 1 2 3 Hands and feet go to sleep
easily, numbness | 63 – 1 2 3 Get “drowsy” often | 68 – 1 2 3 Bruise easily, “black
and blue” spots |
| 57 – 1 2 3 Sigh frequently, “air
hunger” | 64 – 1 2 3 Swollen ankles
worse at night | 69 – 1 2 3 Tendency to anemia |
| 58 – 1 2 3 Aware of “breathing
heavily” | 65 – 1 2 3 Muscle cramps, worse
during exercise; get
“charley horses” | 70 – 1 2 3 “Nose bleeds” frequent |
| 59 – 1 2 3 High altitude discomfort | 66 – 1 2 3 Shortness of breath
on exertion | 71 – 1 2 3 Noises in head, or
“ringing in ears” |
| 60 – 1 2 3 Opens windows in
closed room | 67 – 1 2 3 Dull pain in chest or
radiating into left arm,
worse on exertion | 72 – 1 2 3 Tension under the
breastbone, or feeling
of “tightness”,
worse on exertion |
| 61 – 1 2 3 Susceptible to colds
and fevers | | |
| 62 – 1 2 3 Afternoon “yawner” | | |

GROUP FIVE

- | | | |
|--|---|--|
| 73 - 1 2 3 Dizziness | 83 - 1 2 3 Feeling queasy; headache over eyes | 91 - 1 2 3 Sneezing attacks |
| 74 - 1 2 3 Dry skin | 84 - 1 2 3 Greasy foods upset | 92 - 1 2 3 Dreaming, nightmare type bad dreams |
| 75 - 1 2 3 Burning feet | 85 - 1 2 3 Stools light-colored | 93 - 1 2 3 Bad breath (halitosis) |
| 76 - 1 2 3 Blurred vision | 86 - 1 2 3 Skin peels on foot soles | 94 - 1 2 3 Milk products cause distress |
| 77 - 1 2 3 Itching skin and feet | 87 - 1 2 3 Pain between shoulder blades | 95 - 1 2 3 Sensitive to hot weather |
| 78 - 1 2 3 Excessive falling hair | 88 - 1 2 3 Use laxatives | 96 - 1 2 3 Burning or itching anus |
| 79 - 1 2 3 Frequent skin rashes | 89 - 1 2 3 Stools alternate from soft to watery | 97 - 1 2 3 Crave sweets |
| 80 - 1 2 3 Bitter, metallic taste in mouth in mornings | 90 - 1 2 3 History of gallbladder attacks or gallstones | |
| 81 - 1 2 3 Bowel movements painful or difficult | | |
| 82 - 1 2 3 Worrier, feels insecure | | |

GROUP SIX

- | | | |
|---|---|---|
| 98 - 1 2 3 Loss of taste for meat | 101 - 1 2 3 Coated tongue | 104 - 1 2 3 Mucous colitis or "irritable bowel" |
| 99 - 1 2 3 Lower bowel gas several hours after eating | 102 - 1 2 3 Pass large amounts of foul-smelling gas | 105 - 1 2 3 Gas shortly after eating |
| 100 - 1 2 3 Burning stomach sensations, eating relieves | 103 - 1 2 3 Indigestion 1/2 - 1 hour after | 106 - 1 2 3 Stomach "bloating" eating; may be up to 3-4 hours after |

GROUP SEVEN

- | | | |
|--|--|--|
| (A) | (C) | (E) |
| 107 - 1 2 3 Insomnia | 137 - 1 2 3 Failing memory | 150 - 1 2 3 Dizziness |
| 108 - 1 2 3 Nervousness | 138 - 1 2 3 Low blood pressure | 151 - 1 2 3 Headaches |
| 109 - 1 2 3 Can't gain weight | 139 - 1 2 3 Increased sex drive | 152 - 1 2 3 Hot flashes |
| 110 - 1 2 3 Intolerance to heat | 140 - 1 2 3 Headaches, "splitting or rendering" type | 153 - 1 2 3 Increased blood pressure |
| 111 - 1 2 3 Highly emotional | 141 - 1 2 3 Decreased sugar tolerance | 154 - 1 2 3 Hair growth on face or body (female) |
| 112 - 1 2 3 Flush easily | | 155 - 1 2 3 Sugar in urine (not diabetes) |
| 113 - 1 2 3 Night sweats | | 156 - 1 2 3 Masculine tendencies (female) |
| 114 - 1 2 3 Thin, moist skin | (D) | (F) |
| 115 - 1 2 3 Inward trembling | 142 - 1 2 3 Abnormal thirst | 157 - 1 2 3 Weakness, dizziness |
| 116 - 1 2 3 Heart palpitates | 143 - 1 2 3 Bloating of abdomen | 158 - 1 2 3 Chronic fatigue |
| 117 - 1 2 3 Increased appetite without weight gain | 144 - 1 2 3 Weight gain around hips or waist | 159 - 1 2 3 Low blood pressure |
| 118 - 1 2 3 Pulse fast at rest | 145 - 1 2 3 Sex drive reduced or lacking | 160 - 1 2 3 Nails, weak, ridged |
| 119 - 1 2 3 Eyelids and face twitch | 146 - 1 2 3 Tendency to ulcers, colitis | 161 - 1 2 3 Tendency to hives |
| 120 - 1 2 3 Irritable and restless | 147 - 1 2 3 Increased sugar tolerance | 162 - 1 2 3 Arthritic tendencies |
| 121 - 1 2 3 Can't work under pressure | 148 - 1 2 3 Women: menstrual disorders | 163 - 1 2 3 Perspiration increase |
| (B) | 149 - 1 2 3 Young girls: lack of menstrual function | 164 - 1 2 3 Bowel disorders |
| 122 - 1 2 3 Increase in weight | | 165 - 1 2 3 Poor circulation |
| 123 - 1 2 3 Decrease in appetite | | 166 - 1 2 3 Swollen ankles |
| 124 - 1 2 3 Fatigue easily | | 167 - 1 2 3 Crave salt |
| 125 - 1 2 3 Ringing in ears | | 168 - 1 2 3 Brown spots or bronzing of skin |
| 126 - 1 2 3 Sleepy during day | | 169 - 1 2 3 Allergies - tendency to asthma |
| 127 - 1 2 3 Sensitive to cold | | 170 - 1 2 3 Weakness after colds, influenza |
| 128 - 1 2 3 Dry or scaly skin | | 171 - 1 2 3 Exhaustion - muscular and nervous |
| 129 - 1 2 3 Constipation | | 172 - 1 2 3 Respiratory disorders |
| 130 - 1 2 3 Mental sluggishness | | |
| 131 - 1 2 3 Hair coarse, falls out | | |
| 132 - 1 2 3 Headaches upon arising wear off during day | | |
| 133 - 1 2 3 Slow pulse, below 65 | | |
| 134 - 1 2 3 Frequency of urination | | |
| 135 - 1 2 3 Impaired hearing | | |
| 136 - 1 2 3 Reduced initiative | | |

GROUP EIGHT	FEMALE ONLY	MALE ONLY
173 - 1 2 3 Muscle weakness	200 - 1 2 3 Very easily fatigued	213 - 1 2 3 Prostate trouble
174 - 1 2 3 Lack of Stamina	201 - 1 2 3 Premenstrual tension	214 - 1 2 3 Urination difficult or dribbling
175 - 1 2 3 Drowsiness after eating	202 - 1 2 3 Painful menses	215 - 1 2 3 Night urination frequent
176 - 1 2 3 Muscular soreness	203 - 1 2 3 Depressed feelings before menstruation	216 - 1 2 3 Depression
177 - 1 2 3 Rapid heart beat	204 - 1 2 3 Menstruation excessive and prolonged	217 - 1 2 3 Pain on inside of legs or heels
178 - 1 2 3 Hyper-irritable	205 - 1 2 3 Painful breasts	218 - 1 2 3 Feeling of incomplete bowel evacuation
179 - 1 2 3 Feeling of a band around your head	206 - 1 2 3 Menstruate too frequently	219 - 1 2 3 Lack of energy
180 - 1 2 3 Melancholia (feeling of sadness)	207 - 1 2 3 Vaginal discharge	220 - 1 2 3 Migrating aches and pains
181 - 1 2 3 Swelling of ankles	208 - 1 2 3 Hysterectomy/ovaries removed	221 - 1 2 3 Tire too easily
182 - 1 2 3 Diminished urination	209 - 1 2 3 Menopausal hot flashes	222 - 1 2 3 Avoids activity
183 - 1 2 3 Tendency to consume sweets or carbohydrates	210 - 1 2 3 Menses scanty or missed	223 - 1 2 3 Leg nervousness at night
184 - 1 2 3 Muscle spasms	211 - 1 2 3 Acne, worse at menses	224 - 1 2 3 Diminished sex drive
185 - 1 2 3 Blurred vision	212 - 1 2 3 Depression of long standing	
186 - 1 2 3 Loss of muscular control		
187 - 1 2 3 Numbness		
188 - 1 2 3 Night sweats		
189 - 1 2 3 Rapid digestion		
190 - 1 2 3 Sensitivity to noise		
191 - 1 2 3 Redness of palms of hands and bottom of feet		
192 - 1 2 3 Visible veins on chest and abdomen		
193 - 1 2 3 Hemorrhoids		
194 - 1 2 3 Apprehension (feeling that something bad is going to happen)		
195 - 1 2 3 Nervousness causing loss of appetite		
196 - 1 2 3 Nervousness with indigestion		
197 - 1 2 3 Gastritis		
198 - 1 2 3 Forgetfulness		
199 - 1 2 3 Thinning hair		

IMPORTANT

TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance.

1. _____
2. _____
3. _____
4. _____
5. _____

(TO BE COMPLETED BY DOCTOR)

Postural Blood Pressure: Recumbent _____ Standing _____ Pulse _____

Hema-Combistix Urine readings: pH _____ Albumin per cent _____ Glucose per cent _____

Occult Blood _____ pH of Saliva _____ pH of Stool specimen _____ Weight _____

Hemoglobin _____ Blood Clotting Time _____

BARNES THYROID TEST

This test was developed by Dr. Broda Barnes, M.D. and is a measurement of the underarm temperature to determine hypo and hyperthyroid states. The test is conducted by the patient in the a.m. before leaving bed - with the temperature being taken for 10 minutes. The test is invalidated if the patient expends any energy prior to taking the test - getting up for any reason, shaking down the thermometer, etc. It is important that the test be conducted for exactly 10 minutes, making the prior positioning of both the thermometer and a clock important.

PRE-MENSES FEMALES AND MENOPAUSAL FEMALES

Any two days during the month

FEMALES HAVING MENSTRUAL CYCLES

The 2nd and 3rd day of flow OR any 5 days in a row.

MALES

Any 2 days during the month.

You can do the following test at home to see if you may have a functional low thyroid. Use an oral thermometer or a digital one. When you use a digital one, place the probe under your arm for 5 minutes then turn your machine on; continue on for an additional 5 minutes. When using a regular one, shake down the night before.

Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____
Date: _____	Temperature: _____

BP SIT _____	BP STAND _____
PULSE SIT _____	PULSE STAND _____
SALIVA PH _____	BLOOD TYPE _____

PAIN ASSESSMENT

Name: _____

Date: _____

Shade in all areas of pain. Grade the intensity of pain in each area using 0 - 10 scale:

0 = no pain / no discomfort, 10 = the worst pain you can imagine

